





**CNCWORLD**

**UV Primer DZ Pre-coating liquid  
for Acrylic 1000ml**

Lot no.: 2508T0441

**Compatible printheads:**

DX5 | DX7 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390

**CAUTIONS:**

- Warning! For industrial use. Causes skin and eye irritation. May cause an allergic skin reaction.
- Personal Protective Equipment (PPE):
  - Always wear safety glasses or face shield. Direct contact can cause serious and permanent eye damage.
  - Always use chemical-resistant protective gloves (e.g., nitrile, etc.) as a strong precaution.
- Safe handling:
  - Work in a well-ventilated area, avoid inhaling vapors.
  - Do NOT touch the nozzle when it is in use. In case of contact, immediately wash skin with soap and water.
  - Rinse away from face and head area.
- First Aid:
  - Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.
  - Skin Contact: Remove contaminated clothing and wash skin with soap and water.
  - Inhalation: Move the affected person to fresh air.
- Storage and disposal:
  - Store in a tightly sealed container in a cool, dark, and dry place, away from sunlight.
  - Dispose of the used empty containers in accordance with local chemical waste regulations.



---

Primer för akryl (UV Primer) är ett specialiserat kemiskt medel som fungerar som en **adhensionsbro** mellan materialytan och UV-bläcket. Det är en nyckelkomponent i UV-tryckprocessen på svårbelagda underlag.

Förstärker bindningen mellan bläcket och syntetiska ytor, ökar **elasticitet och motståndskraft** mot repor, vilket är avgörande vid produktion av gadgets och skyltar.

**Hållbarhet:** minst 6 månader

**Kompatibla skrivhuvuden:** DX5 | DX7 | DX8 | TX800 | XP600 | I3200| I1600| 4720 | 1390