





**CNCWORLD**

**UV Primer DZ Pre-coating liquid  
for Acrylic 1000ml**

Lot no.: 2508T0441

**Compatible printheads:**

DX5 | DX7 | TX800 | XP600 | I3200 | I1600 | 4720 | 1390

**CAUTIONS:**

Warning! For industrial use. Causes skin and eye irritation. May cause an allergic skin reaction.  
Personal Protective Equipment (PPE):  
1. Always wear safety glasses or a face shield. Direct contact can cause serious and permanent eye damage.  
2. Always use chemical-resistant protective gloves (e.g., nitrile). Use one as a strong precaution.  
Safe handling:  
1. Work in a well-ventilated area. Avoid inhaling vapors.  
2. Do NOT touch the face with hands. In case of contact, immediately wash skin with soap and water.  
3. Keep away from fire and heat sources.  
First Aid:  
1. Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention.  
2. Skin Contact: Remove contaminated clothing and wash skin with soap and water.  
3. Inhalation: Move the affected person to fresh air.  
Storage and disposal:  
1. Store in a tightly sealed container in a cool, dark, and dry place, away from sunlight.  
2. Dispose of the used empty container in accordance with local chemical waste regulations.



---

Primer för akryl (UV Primer) är ett specialiserat kemiskt medel som fungerar som en **adhensionsbro** mellan materialytan och UV-bläcket. Det är en nyckelkomponent i UV-tryckprocessen på svårbelagda underlag.

Förstärker bindningen mellan bläcket och syntetiska ytor, ökar **elasticitet och motståndskraft** mot repor, vilket är avgörande vid produktion av gadgets och skyltar.

**Hållbarhet:** minst 6 månader

**Kompatibla skrivhuvuden:** DX5 | DX7 | DX8 | TX800 | XP600 | I3200| I1600| 4720 | 1390